Short-term Chronic Toxicity of Photocatalytic Nanoparticles to Bacteria, Algae, and Zooplankton

C. P. Huang University of Delaware

EPA Nanotechnology and the Environment: Applications and Implicatio STAR Progress Review Workshop II, August 18-20, 2004, Philadelphia P


The Research Team

- Prof. C. P. Huang
- Prof. Dan Cha
- Prof. Ismat Shah
- Dr. Y. C. Huang
- Ayca Erdem: Ph. D. student
- M. Y. Lin: Ph. D. student
- H. Y. Lin: Ph. D. student
- Rovshan Mahmudov: Ph. D. student

NANOTECHNOLOGY

"The creation, processing, characterization and utilization of materials, devices, and systems with dimensions on the order of 0.1 to 100 nanometers, exhibiting novel and significantly enhanced physical, chemical, and biological properties, functions, phenomena, and processes due to their nanoscale size." American Ceramic Society Bulletin (2003)

The Periodic Table of Nanoparticles



- Element already used to produce single and multi-metal nanoscale powders 43
- Element available in near future 22
- Element is radioactive, gaseous, or not preferred 36

http://www.nanoproducts.com/site/content_page.php?p=powders.



Objectives

(1) To determine the acute toxicity of photocatalytic nanoparticles to a mixed bacterial culture,

(2) To determine the short-term chronic toxicity of photocatalytic nanoparticles to pure bacterial culture,

daphnia and green algae,

- (3) To determine the short-term chronic toxicity of copper(II) to green algae in the presence of photocatalytic nanoparticles, and
- (4) To determine the short-term chronic toxicity of chlorinated phenols to pure bacteria culture, and

dephnia in the presence of photocatalytic nanoparticles.




Particle Characteristics

Size

- procaryotic cells: 0.3 2 mm (or 300 2000 nm)
- eucaryotic cells: 2 20 mm (or 2000 20000 nm)
- nano-particles: 0.1 100 nm
- Surface charge
- Chemical composition
- Photocatalysis

Particle Size

- Turbidity
- Solubility
- Collision




$$K_{so} = K_{so}^{o} e^{-\frac{12\gamma}{3\rho RTd}}$$

$$\beta_{kj} = 2\pi \left(d_j + d_k\right) \left(D_j + D_k\right)$$


$$D = \frac{\kappa T}{6\pi \eta r}$$

(Sadar 1996)

Surface Charge




Surface charge of typical nanoparticles and biological substances (Stumm and Morgan, 1996)





Effect of particle size on the surface charge of nano-TiO₂ particles



Photocatalyst










Test Organisms

- Bacterial: E. coli; mixed cultures (Microcat-XR)
- Green algae: Selenastrum capricornutum; algal assemblies
- Zooplankton: Ceriodaphnia dubia

Testing Conditions

- Photocatalysts:
 - IR-sensitive: CdSe, MoS₂
 - Visible light-sensitive: GaP,
 CdS
 - UV-sensitive: TiO₂; ZnO;SnO₂
- Soluble toxic chemicals:
 - Cu(II)
 - Chlorinated HCs



Toxicity Observation

- Bacteria:
 - Metabolic activities : Respiration (oxygen demand, biokinetis constant)
 - Die-off
 - Lipid peroxidation: Malondialdehyde (MDA)
 - DNA sequencing
 - TEM, SEM
- Algae
 - Cell density
 - Chlorophyll
 - TEM, SEM
- Zooplankton
 - Survival
 - Reproduction
 - SEM, TEM


Point estimation techniques


LC50; IC25; IC50; EC50

Statistical analysis (Fisher, Dunnett, Steel)

LEOC;







Expected Results

- Determine the IC50, LC50, LEOC, NEOC values of selected testing organisms in the presence of selected photocatalytic nanoparticles.
- Understand the mechanism of the ecotoxicity of nano-particles: particle size, chemical composition, surface charges and photocatalysis.
- Understand the ecotoxicity of chemical hazards as affected by potocatalytic nanoparticles.

